

Tag	Station ID	End date	End Time	End depth	Start date	Start time	Start depth	Category	Type	Source1	Source2	Program	Description	GT/LT	Value
R221333	10245	10/12/2004	09:25	0.3			0			WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)		0.5
R221333	10245	10/12/2004	09:25	0.3			0			WC	FO	RT	FLOW STREAM, INSTANTANEOUS (CUBIC FEET PER SEC)		51
R221333	10245	10/12/2004	09:25	0.3			0			WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)		2
R221333	10245	10/12/2004	09:25	0.3			0			WC	FO	RT	E. COLI, COLILERT, IDEXX METHOD, MPN/100ML		180
R221333	10245	10/12/2004	09:25	0.3			0			WC	FO	RT	FLOW:1=No Flow,2=Low,3=Normal,4=Flood,5=High,6=D		3
R221333	10245	10/12/2004	09:25	0.3			0			WC	FO	RT	PH (STANDARD UNITS)		6.3
R221333	10245	10/12/2004	09:25	0.3			0			WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		51
R221333	10245	10/12/2004	09:25	0.3			0			WC	FO	RT	FLOW MTH 1=GAGE 2=ELEC 3=MECH 4=WEIR/FLU 5=DOPPL		1
R221333	10245	10/12/2004	09:25	0.3			0			WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		20.1
R221333	10245	10/12/2004	09:25	0.3			0			WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		6.3
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	FLUORIDE, TOTAL (MG/L AS F)	<	0.05
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.05
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	NITRATE NITROGEN, TOTAL (MG/L AS N)		0.06
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)		0.45
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	<	0.06
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	CARBON, TOTAL ORGANIC (MG/L AS C)		7
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	<	1
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	SULFATE (MG/L AS SO4)		7
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH		1.7
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	<	0.05
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	PHOSPHORUS, TOTAL, WET METHOD (MG/L AS P)		0.06
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C) (MG/L)		75
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	RESIDUE, TOTAL NONFILTRABLE (MG/L)		7
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	ALKALINITY, TOTAL (MG/L AS CaCO3)		6
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	CHLORIDE (MG/L AS CL)		5
0048332	10245	10/12/2004	09:30	0.3			0			WC	FO	RT	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	<	1
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	<	1
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH		2.67
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	ALKALINITY, TOTAL (MG/L AS CaCO3)	<	5
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C) (MG/L)		67
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	FLUORIDE, TOTAL (MG/L AS F)	<	0.05
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	SULFATE (MG/L AS SO4)		8
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	CHLORIDE (MG/L AS CL)		5
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	CARBON, TOTAL ORGANIC (MG/L AS C)		10
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	PHOSPHORUS, TOTAL, WET METHOD (MG/L AS P)		0.07
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)		0.59
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	NITRATE NITROGEN, TOTAL (MG/L AS N)		0.06
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.05
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	<	0.05
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	RESIDUE, VOLATILE NONFILTRABLE (MG/L)		2
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	RESIDUE, TOTAL NONFILTRABLE (MG/L)		11
0048335	10247	10/12/2004	12:05	0.3			0			WC	FO	RT	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	<	0.06
R221335	10247	10/12/2004	12:10	0.3			0			WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)		2
R221335	10247	10/12/2004	12:10	0.3			0			WC	FO	RT	FLOW:1=No Flow,2=Low,3=Normal,4=Flood,5=High,6=D		2
R221335	10247	10/12/2004	12:10	0.3			0			WC	FO	RT	E. COLI, COLILERT, IDEXX METHOD, MPN/100ML		330
R221335	10247	10/12/2004	12:10	0.3			0			WC	FO	RT	FLOW MTH 1=GAGE 2=ELEC 3=MECH 4=WEIR/FLU 5=DOPPL		2
R221335	10247	10/12/2004	12:10	0.3			0			WC	FO	RT	PH (STANDARD UNITS)		5.8
R221335	10247	10/12/2004	12:10	0.3			0			WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		5
R221335	10247	10/12/2004	12:10	0.3			0			WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		19.4
R221335	10247	10/12/2004	12:10	0.3			0			WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		48
R221335	10247	10/12/2004	12:10	0.3			0			WC	FO	RT	FLOW STREAM, INSTANTANEOUS (CUBIC FEET PER SEC)		2.1
R221104	10283	09/23/2004	12:15	0.3			0			WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		8.9
R221104	10283	09/23/2004	12:15	0.3			0			WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET		2.2
R221104	10283	09/23/2004	12:15	0.3			0			WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)	>	7
R221104	10283	09/23/2004	12:15	0.3			0			WC	FO	RT	E. COLI, COLILERT, IDEXX METHOD, MPN/100ML	<	1
R221104	10283	09/23/2004	12:15	0.3			0			WC	FO	RT	PH (STANDARD UNITS)		8.5
R221104	10283	09/23/2004	12:15	0.3			0			WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		114
R221104	10283	09/23/2004	12:15	0.3			0			WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		26.5
R221104	10283	09/23/2004	12:15	0.3			0			WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)		0.48
PR61105	10283	09/23/2004	12:15	1			0			WC	FO	RT	PH (STANDARD UNITS)		8.1
PR61105	10283	09/23/2004	12:15	1			0			WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		8.7
PR61105	10283	09/23/2004	12:15	1			0			WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		114
PR61105	10283	09/23/2004	12:15	1			0			WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		26.4
PR61106	10283	09/23/2004	12:15	2			0			WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		113
PR61106	10283	09/23/2004	12:15	2			0			WC	FO	RT	PH (STANDARD UNITS)		7.1
PR61106	10283	09/23/2004	12:15	2			0			WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		25.7
PR61106	10283	09/23/2004	12:15	2			0			WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		6.2
R222016	10296	11/16/2004	10:50	0.3			0			WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		17.9
R222016	10296	11/16/2004	10:50	0.3			0			WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)		1.1
R222016	10296	11/16/2004	10:50	0.3			0			WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET		8.8
R222016	10296	11/16/2004	10:50	0.3			0			WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		8.2
R222016	10296	11/16/2004	10:50	0.3			0			WC	FO	RT	PH (STANDARD UNITS)		7
R222016	10296	11/16/2004	10:50	0.3			0			WC	FO	RT	E. COLI, COLILERT, IDEXX METHOD, MPN/100ML	<	1
R222016	10296	11/16/2004	10:50	0.3			0			WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		116

R222016	10296	11/16/2004	10:50	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)	>	10
PR62017	10296	11/16/2004	10:50	1	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		8.1
PR62017	10296	11/16/2004	10:50	1	0	WC	FO	RT	PH (STANDARD UNITS)		7
PR62017	10296	11/16/2004	10:50	1	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		17.7
PR62017	10296	11/16/2004	10:50	1	0	WC	FO	RT	SPECIFIC CONDUCTANCE.FIELD (UMHOS/CM @ 25C)		116
PR62018	10296	11/16/2004	10:50	2	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		7.9
PR62018	10296	11/16/2004	10:50	2	0	WC	FO	RT	SPECIFIC CONDUCTANCE.FIELD (UMHOS/CM @ 25C)		116
PR62018	10296	11/16/2004	10:50	2	0	WC	FO	RT	PH (STANDARD UNITS)		6.9
PR62018	10296	11/16/2004	10:50	2	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		17.6
PR62019	10296	11/16/2004	10:50	3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		7.8
PR62019	10296	11/16/2004	10:50	3	0	WC	FO	RT	SPECIFIC CONDUCTANCE.FIELD (UMHOS/CM @ 25C)		116
PR62019	10296	11/16/2004	10:50	3	0	WC	FO	RT	PH (STANDARD UNITS)		6.9
PR62019	10296	11/16/2004	10:50	3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		17.6
PR62020	10296	11/16/2004	10:50	4	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		17.6
PR62020	10296	11/16/2004	10:50	4	0	WC	FO	RT	SPECIFIC CONDUCTANCE.FIELD (UMHOS/CM @ 25C)		116
PR62020	10296	11/16/2004	10:50	4	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		7.8
PR62020	10296	11/16/2004	10:50	4	0	WC	FO	RT	PH (STANDARD UNITS)		6.8
PR62021	10296	11/16/2004	10:50	5	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		17.6
PR62021	10296	11/16/2004	10:50	5	0	WC	FO	RT	SPECIFIC CONDUCTANCE.FIELD (UMHOS/CM @ 25C)		116
PR62021	10296	11/16/2004	10:50	5	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		7.7
PR62021	10296	11/16/2004	10:50	5	0	WC	FO	RT	PH (STANDARD UNITS)		6.8
PR62022	10296	11/16/2004	10:50	6	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		17.6
PR62022	10296	11/16/2004	10:50	6	0	WC	FO	RT	SPECIFIC CONDUCTANCE.FIELD (UMHOS/CM @ 25C)		116
PR62022	10296	11/16/2004	10:50	6	0	WC	FO	RT	PH (STANDARD UNITS)		6.8
PR62022	10296	11/16/2004	10:50	6	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		7.7
PR62023	10296	11/16/2004	10:50	7	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		17.5
PR62023	10296	11/16/2004	10:50	7	0	WC	FO	RT	PH (STANDARD UNITS)		6.9
PR62023	10296	11/16/2004	10:50	7	0	WC	FO	RT	SPECIFIC CONDUCTANCE.FIELD (UMHOS/CM @ 25C)		116
PR62023	10296	11/16/2004	10:50	7	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		7.7
PR62024	10296	11/16/2004	10:50	8	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		17.5
PR62024	10296	11/16/2004	10:50	8	0	WC	FO	RT	SPECIFIC CONDUCTANCE.FIELD (UMHOS/CM @ 25C)		116
PR62024	10296	11/16/2004	10:50	8	0	WC	FO	RT	PH (STANDARD UNITS)		6.9
PR62024	10296	11/16/2004	10:50	8	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		7.7
PR62025	10296	11/16/2004	10:50	8.5	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		6.9
PR62025	10296	11/16/2004	10:50	8.5	0	WC	FO	RT	SPECIFIC CONDUCTANCE.FIELD (UMHOS/CM @ 25C)		117
PR62025	10296	11/16/2004	10:50	8.5	0	WC	FO	RT	PH (STANDARD UNITS)		7
PR62025	10296	11/16/2004	10:50	8.5	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		17.6
R221327	10308	10/07/2004	09:00	0.3	0	WC	FO	RT	STREAM FLOW ESTIMATE (CFS)		50
R221327	10308	10/07/2004	09:00	0.3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		20.7
R221327	10308	10/07/2004	09:00	0.3	0	WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)	>	0.6
R221327	10308	10/07/2004	09:00	0.3	0	WC	FO	RT	SPECIFIC CONDUCTANCE.FIELD (UMHOS/CM @ 25C)		855
R221327	10308	10/07/2004	09:00	0.3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		6.5
R221327	10308	10/07/2004	09:00	0.3	0	WC	FO	RT	PH (STANDARD UNITS)		7.2
R221327	10308	10/07/2004	09:00	0.3	0	WC	FO	RT	FLOW:1=No Flow,2=Low,3=Normal,4=Flood,5=High,6=D		2
R221327	10308	10/07/2004	09:00	0.3	0	WC	FO	RT	E. COLI, COLILERT, IDEXX METHOD, MPN/100ML		200
R221327	10308	10/07/2004	09:00	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)		2
R221327	10308	10/07/2004	09:00	0.3	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET		0.6
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	FLUORIDE, TOTAL (MG/L AS F)		0.13
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C) (MG/L)		592
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH		2.67
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	SULFATE (MG/L AS SO4)		137
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	CHLORIDE (MG/L AS CL)		73
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	CARBON, TOTAL ORGANIC (MG/L AS C)		7
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	PHOSPHORUS, TOTAL, WET METHOD (MG/L AS P)		3.83
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	<	0.05
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	<	1
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)		3.7
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	RESIDUE, TOTAL NONFILTRABLE (MG/L)		8
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	RESIDUE, VOLATILE NONFILTRABLE (MG/L)		2
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	ALKALINITY, TOTAL (MG/L AS CaCO3)		80
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.05
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	NITRATE NITROGEN, TOTAL (MG/L AS N)	>	20
0048322	10308	10/07/2004	09:10	0.3	0	WC	FO	RT	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)		0.84
R221359	10312	10/26/2004	09:55	0.3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		7.8
R221359	10312	10/26/2004	09:55	0.3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		23.2
R221359	10312	10/26/2004	09:55	0.3	0	WC	FO	RT	SPECIFIC CONDUCTANCE.FIELD (UMHOS/CM @ 25C)		137
R221359	10312	10/26/2004	09:55	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)		2
R221359	10312	10/26/2004	09:55	0.3	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET		11.5
R221359	10312	10/26/2004	09:55	0.3	0	WC	FO	RT	PH (STANDARD UNITS)		7.2
R221359	10312	10/26/2004	09:55	0.3	0	WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)		1.5
PR61360	10312	10/26/2004	09:55	1	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		23.1
PR61360	10312	10/26/2004	09:55	1	0	WC	FO	RT	SPECIFIC CONDUCTANCE.FIELD (UMHOS/CM @ 25C)		137
PR61360	10312	10/26/2004	09:55	1	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		7.7
PR61360	10312	10/26/2004	09:55	1	0	WC	FO	RT	PH (STANDARD UNITS)		7.3
PR61361	10312	10/26/2004	09:55	2	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		7.6
PR61361	10312	10/26/2004	09:55	2	0	WC	FO	RT	SPECIFIC CONDUCTANCE.FIELD (UMHOS/CM @ 25C)		137
PR61361	10312	10/26/2004	09:55	2	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		23.1
PR61361	10312	10/26/2004	09:55	2	0	WC	FO	RT	PH (STANDARD UNITS)		7.3

PR61362	10312	10/26/2004	09:55	3	0	WC	FO	RT	PH (STANDARD UNITS)	7.3
PR61362	10312	10/26/2004	09:55	3	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	137
PR61362	10312	10/26/2004	09:55	3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	23.1
PR61362	10312	10/26/2004	09:55	3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.5
PR61363	10312	10/26/2004	09:55	4	0	WC	FO	RT	PH (STANDARD UNITS)	7.2
PR61363	10312	10/26/2004	09:55	4	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.3
PR61363	10312	10/26/2004	09:55	4	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	137
PR61363	10312	10/26/2004	09:55	4	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	23.1
PR61364	10312	10/26/2004	09:55	5	0	WC	FO	RT	PH (STANDARD UNITS)	7.1
PR61364	10312	10/26/2004	09:55	5	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	22.9
PR61364	10312	10/26/2004	09:55	5	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	6.5
PR61364	10312	10/26/2004	09:55	5	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	137
PR61365	10312	10/26/2004	09:55	6	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	138
PR61365	10312	10/26/2004	09:55	6	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	5.2
PR61365	10312	10/26/2004	09:55	6	0	WC	FO	RT	PH (STANDARD UNITS)	6.9
PR61365	10312	10/26/2004	09:55	6	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	22.6
PR61366	10312	10/26/2004	09:55	7	0	WC	FO	RT	PH (STANDARD UNITS)	6.8
PR61366	10312	10/26/2004	09:55	7	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	22.2
PR61366	10312	10/26/2004	09:55	7	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	138
PR61366	10312	10/26/2004	09:55	7	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	4.2
PR61367	10312	10/26/2004	09:55	8	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	21.8
PR61367	10312	10/26/2004	09:55	8	0	WC	FO	RT	PH (STANDARD UNITS)	6.7
PR61367	10312	10/26/2004	09:55	8	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	3
PR61367	10312	10/26/2004	09:55	8	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	139
PR61368	10312	10/26/2004	09:55	9	0	WC	FO	RT	PH (STANDARD UNITS)	6.6
PR61368	10312	10/26/2004	09:55	9	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	0.3
PR61368	10312	10/26/2004	09:55	9	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	141
PR61368	10312	10/26/2004	09:55	9	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	20.9
PR61369	10312	10/26/2004	09:55	10	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	154
PR61369	10312	10/26/2004	09:55	10	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	19.9
PR61369	10312	10/26/2004	09:55	10	0	WC	FO	RT	PH (STANDARD UNITS)	6.8
PR61369	10312	10/26/2004	09:55	10	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	0.1
PR61370	10312	10/26/2004	09:55	11	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	197
PR61370	10312	10/26/2004	09:55	11	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	0.1
PR61370	10312	10/26/2004	09:55	11	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	17.4
PR61370	10312	10/26/2004	09:55	11	0	WC	FO	RT	PH (STANDARD UNITS)	6.9
R221371	10313	10/26/2004	11:30	0.3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	23.1
R221371	10313	10/26/2004	11:30	0.3	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	137
R221371	10313	10/26/2004	11:30	0.3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.6
R221371	10313	10/26/2004	11:30	0.3	0	WC	FO	RT	PH (STANDARD UNITS)	7.5
R221371	10313	10/26/2004	11:30	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)	2
R221371	10313	10/26/2004	11:30	0.3	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET	4.2
R221371	10313	10/26/2004	11:30	0.3	0	WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)	1
PR61372	10313	10/26/2004	11:30	1	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	23.1
PR61372	10313	10/26/2004	11:30	1	0	WC	FO	RT	PH (STANDARD UNITS)	7.4
PR61372	10313	10/26/2004	11:30	1	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	138
PR61372	10313	10/26/2004	11:30	1	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.4
PR61373	10313	10/26/2004	11:30	2	0	WC	FO	RT	PH (STANDARD UNITS)	7.3
PR61373	10313	10/26/2004	11:30	2	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.2
PR61373	10313	10/26/2004	11:30	2	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	138
PR61373	10313	10/26/2004	11:30	2	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	23
PR61374	10313	10/26/2004	11:30	3	0	WC	FO	RT	PH (STANDARD UNITS)	7.2
PR61374	10313	10/26/2004	11:30	3	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	138
PR61374	10313	10/26/2004	11:30	3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.2
PR61374	10313	10/26/2004	11:30	3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	22.9
PR61375	10313	10/26/2004	11:30	4	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	140
PR61375	10313	10/26/2004	11:30	4	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	3
PR61375	10313	10/26/2004	11:30	4	0	WC	FO	RT	PH (STANDARD UNITS)	6.8
PR61375	10313	10/26/2004	11:30	4	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	22.3
R221165	10314	09/13/2004	10:50	0.2	0	WC	FO	RT	PH (STANDARD UNITS)	6.6
R221165	10314	09/13/2004	10:50	0.2	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	21.6
R221165	10314	09/13/2004	10:50	0.2	0	WC	FO	RT	FLOW STREAM, INSTANTANEOUS (CUBIC FEET PER SEC)	0
R221165	10314	09/13/2004	10:50	0.2	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	0.8
R221165	10314	09/13/2004	10:50	0.2	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)	> 20
R221165	10314	09/13/2004	10:50	0.2	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET	0.3
R221165	10314	09/13/2004	10:50	0.2	0	WC	FO	RT	FLOW: 1=No Flow, 2=Low, 3=Normal, 4=Flood, 5=High, 6=D	1
0048304	10314	09/13/2004	10:55	0.3	0	WC	FO	RT	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID, METH.	8.68
0048304	10314	09/13/2004	10:55	0.3	0	WC	FO	RT	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID, METH	33.4
0048304	10314	09/13/2004	10:55	0.3	0	WC	FO	RT	FLUORIDE, TOTAL (MG/L AS F)	0.1
0048304	10314	09/13/2004	10:55	0.3	0	WC	FO	RT	SULFATE (MG/L AS SO4)	1
0048304	10314	09/13/2004	10:55	0.3	0	WC	FO	RT	CHLORIDE (MG/L AS CL)	8
0048304	10314	09/13/2004	10:55	0.3	0	WC	FO	RT	CARBON, TOTAL ORGANIC (MG/L AS C)	13
0048304	10314	09/13/2004	10:55	0.3	0	WC	FO	RT	PHOSPHORUS, TOTAL, WET METHOD (MG/L AS P)	0.17
0048304	10314	09/13/2004	10:55	0.3	0	WC	FO	RT	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	1.84
0048304	10314	09/13/2004	10:55	0.3	0	WC	FO	RT	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	0.72
0048304	10314	09/13/2004	10:55	0.3	0	WC	FO	RT	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	10
0048304	10314	09/13/2004	10:55	0.3	0	WC	FO	RT	RESIDUE, TOTAL NONFILTRABLE (MG/L)	40
0048304	10314	09/13/2004	10:55	0.3	0	WC	FO	RT	ALKALINITY, TOTAL (MG/L AS CaCO3)	38

0048304	10314	09/13/2004	10:55	0.3	0	WC	FO	RT	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C) (MG/L)	91
R221159	10321	09/01/2004	13:00	0.03	0	WC	FO	IS	DAYS SINCE PRECIPITATION EVENT (DAYS)	> 5
R221159	10321	09/01/2004	13:00	0.03	0	WC	FO	IS	FLOW:1=No Flow,2=Low,3=Normal,4=Flood,5=High,6=D	1
R221159	10321	09/01/2004	13:00	0.03	0	WC	FO	IS	FLOW STREAM, INSTANTANEOUS (CUBIC FEET PER SEC)	0
R221330	10332	10/11/2004	12:45	0.3	0	WC	FO	RT	FLOW:1=No Flow,2=Low,3=Normal,4=Flood,5=High,6=D	3
R221330	10332	10/11/2004	12:45	0.3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	20.6
R221330	10332	10/11/2004	12:45	0.3	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET	1
R221330	10332	10/11/2004	12:45	0.3	0	WC	FO	RT	FLOW STREAM, INSTANTANEOUS (CUBIC FEET PER SEC)	110
R221330	10332	10/11/2004	12:45	0.3	0	WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)	0.3
R221330	10332	10/11/2004	12:45	0.3	0	WC	FO	RT	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	86
R221330	10332	10/11/2004	12:45	0.3	0	WC	FO	RT	PH (STANDARD UNITS)	6.2
R221330	10332	10/11/2004	12:45	0.3	0	WC	FO	RT	E. COLI, COLILERT, IDEXX METHOD, MPN/100ML	170
R221330	10332	10/11/2004	12:45	0.3	0	WC	FO	RT	FLOW MTH 1=GAGE 2=ELEC 3=MECH 4=WEIR/FLU 5=DOPPL	1
R221330	10332	10/11/2004	12:45	0.3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	6.5
R221330	10332	10/11/2004	12:45	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)	1
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C) (MG/L)	99
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	ALKALINITY, TOTAL (MG/L AS CaCO3)	6
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	NITRATE NITROGEN, TOTAL (MG/L AS N)	< 0.05
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	< 0.06
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	PHOSPHORUS, TOTAL, WET METHOD (MG/L AS P)	0.12
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	CARBON, TOTAL ORGANIC (MG/L AS C)	7
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	CHLORIDE (MG/L AS CL)	10
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	SULFATE (MG/L AS SO4)	14
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	3
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH	2.28
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	0.5
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	RESIDUE, TOTAL NONFILTRABLE (MG/L)	15
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	< 1
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	< 0.05
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	NITRITE NITROGEN, TOTAL (MG/L AS N)	< 0.05
0048329	10332	10/11/2004	13:10	0.3	0	WC	FO	RT	FLUORIDE, TOTAL (MG/L AS F)	0.06
R221545	14473	11/09/2004	10:45	0.3	0	WC	FO	RT	PH (STANDARD UNITS)	7.5
R221545	14473	11/09/2004	10:45	0.3	0	WC	FO	RT	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	232
R221545	14473	11/09/2004	10:45	0.3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	20.6
R221545	14473	11/09/2004	10:45	0.3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.6
R221545	14473	11/09/2004	10:45	0.3	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET	9.9
R221545	14473	11/09/2004	10:45	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)	> 5
PR61547	14473	11/09/2004	10:45	1	0	WC	FO	RT	PH (STANDARD UNITS)	7.4
PR61547	14473	11/09/2004	10:45	1	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	20.6
PR61547	14473	11/09/2004	10:45	1	0	WC	FO	RT	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	232
PR61547	14473	11/09/2004	10:45	1	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.5
PR61548	14473	11/09/2004	10:45	2	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	20.6
PR61548	14473	11/09/2004	10:45	2	0	WC	FO	RT	PH (STANDARD UNITS)	7.4
PR61548	14473	11/09/2004	10:45	2	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.4
PR61548	14473	11/09/2004	10:45	2	0	WC	FO	RT	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	232
PR61550	14473	11/09/2004	10:45	3	0	WC	FO	RT	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	232
PR61550	14473	11/09/2004	10:45	3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.2
PR61550	14473	11/09/2004	10:45	3	0	WC	FO	RT	PH (STANDARD UNITS)	7.4
PR61550	14473	11/09/2004	10:45	3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	20.6
PR61552	14473	11/09/2004	10:45	4	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	20.6
PR61552	14473	11/09/2004	10:45	4	0	WC	FO	RT	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	232
PR61552	14473	11/09/2004	10:45	4	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.3
PR61552	14473	11/09/2004	10:45	4	0	WC	FO	RT	PH (STANDARD UNITS)	7.3
PR61553	14473	11/09/2004	10:45	5	0	WC	FO	RT	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	232
PR61553	14473	11/09/2004	10:45	5	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.1
PR61553	14473	11/09/2004	10:45	5	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	20.6
PR61553	14473	11/09/2004	10:45	5	0	WC	FO	RT	PH (STANDARD UNITS)	7.3
PR61555	14473	11/09/2004	10:45	6	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	20.6
PR61555	14473	11/09/2004	10:45	6	0	WC	FO	RT	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	232
PR61555	14473	11/09/2004	10:45	6	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.1
PR61555	14473	11/09/2004	10:45	6	0	WC	FO	RT	PH (STANDARD UNITS)	7.3
PR61556	14473	11/09/2004	10:45	7	0	WC	FO	RT	PH (STANDARD UNITS)	7.3
PR61556	14473	11/09/2004	10:45	7	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	20.6
PR61556	14473	11/09/2004	10:45	7	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.1
PR61556	14473	11/09/2004	10:45	7	0	WC	FO	RT	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	232
PR61557	14473	11/09/2004	10:45	8	0	WC	FO	RT	PH (STANDARD UNITS)	7.3
PR61557	14473	11/09/2004	10:45	8	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7
PR61557	14473	11/09/2004	10:45	8	0	WC	FO	RT	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	232
PR61557	14473	11/09/2004	10:45	8	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	20.6
PR61558	14473	11/09/2004	10:45	9	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	20.6
PR61558	14473	11/09/2004	10:45	9	0	WC	FO	RT	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	232
PR61558	14473	11/09/2004	10:45	9	0	WC	FO	RT	PH (STANDARD UNITS)	7.3
PR61558	14473	11/09/2004	10:45	9	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7
PR61559	14473	11/09/2004	10:45	9.8	0	WC	FO	RT	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	232
PR61559	14473	11/09/2004	10:45	9.8	0	WC	FO	RT	PH (STANDARD UNITS)	7.3
PR61559	14473	11/09/2004	10:45	9.8	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7
PR61559	14473	11/09/2004	10:45	9.8	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	20.6
0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	0.58

0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	RESIDUE, TOTAL NONFILTRABLE (MG/L)	9			
0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	ALKALINITY, TOTAL (MG/L AS CaCO3)	14			
0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	< 1			
0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	FLUORIDE, TOTAL (MG/L AS F)	< 0.05			
0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	2			
0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	NITRITE NITROGEN, TOTAL (MG/L AS N)	< 0.05			
0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH	1.95			
0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	SULFATE (MG/L AS SO4)	4			
0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	CHLORIDE (MG/L AS CL)	8			
0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	CARBON, TOTAL ORGANIC (MG/L AS C)	11			
0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C) (MG/L)	78			
0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	NITRATE NITROGEN, TOTAL (MG/L AS N)	0.16			
0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	< 0.06			
0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	< 0.05			
0048331	14975	10/11/2004	10:10	0.3	0	WC	FO	RT	PHOSPHORUS, TOTAL, WET METHOD (MG/L AS P)	0.09			
R221331	14975	10/11/2004	10:25	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)	1			
R221331	14975	10/11/2004	10:25	0.3	0	WC	FO	RT	E. COLI, COLILERT, IDEXX METHOD, MPN/100ML	120			
R221331	14975	10/11/2004	10:25	0.3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	19.6			
R221331	14975	10/11/2004	10:25	0.3	0	WC	FO	RT	FLOW STREAM, INSTANTANEOUS (CUBIC FEET PER SEC)	9.1			
R221331	14975	10/11/2004	10:25	0.3	0	WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)	> 0.4			
R221331	14975	10/11/2004	10:25	0.3	0	WC	FO	RT	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	70			
R221331	14975	10/11/2004	10:25	0.3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.6			
R221331	14975	10/11/2004	10:25	0.3	0	WC	FO	RT	PH (STANDARD UNITS)	6.4			
R221331	14975	10/11/2004	10:25	0.3	0	WC	FO	RT	FLOW:1=No Flow,2=Low,3=Normal,4=Flood,5=High,6=D	3			
R221331	14975	10/11/2004	10:25	0.3	0	WC	FO	RT	FLOW MTH 1=GAGE 2=ELEC 3=MECH 4=WEIR/FLU 5=DOPPL	2			
R221331	14975	10/11/2004	10:25	0.3	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET	0.4			
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	DISSOLVED OXYGEN, # OF MEASUREMENTS IN 24-HRS	48
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	DISSOLVED OXYGEN, 24-HOUR AVG. (MG/L) MIN. 4 MEA	4.6
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	pH, # OF MEASUREMENTS IN 24-HRS	48
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	DISSOLVED OXYGEN, 24-HOUR MAX. (MG/L) MIN. 4 MEA	5.7
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	DISSOLVED OXYGEN, 24-HOUR MIN. (MG/L) MIN. 4 MEA	3.8
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	FLOW STREAM, INSTANTANEOUS (CUBIC FEET PER SEC)	0.36
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	TEMPERATURE, WATER (DEGREES CENTIGRADE), 24HR AVG	23.8
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	FLOW MTH 1=GAGE 2=ELEC 3=MECH 4=WEIR/FLU 5=DOPPL	2
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET	1
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	DAYS SINCE PRECIPITATION EVENT (DAYS)	> 5
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	PH, S.U., 24HR, MINIMUM VALUE	6.1
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	FLOW:1=No Flow,2=Low,3=Normal,4=Flood,5=High,6=D	2
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	WATER TEMPERATURE, DEGREES CENTIGRADE, 24HR MAX	24.9
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	SPECIFIC CONDUCTANCE, # OF MEASUREMENTS IN 24-HR	48
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	WATER TEMPERATURE, # OF MEASUREMENTS IN 24-HRS	48
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	PH, S.U., 24HR MAXIMUM VALUE	6.2
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	SPECIFIC CONDUCTANCE, UMHOS/CM, FIELD, 24HR MIN	93
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	SPECIFIC CONDUCTANCE, UMHOS/CM, FIELD, 24HR MAX	95
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	SPECIFIC CONDUCTANCE, UMHOS/CM, FIELD, 24HR AVG	94
R221160	14998	09/02/2004	12:30	0.5	09-01-2004 13:00	0.5	T	48	WC	FO	DI	TEMPERATURE, WATER (DEGREES CENTIGRADE) 24HR MIN	22.9
R221328	15511	10/07/2004	10:00	0.3	0	WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)	0.9			
R221328	15511	10/07/2004	10:00	0.3	0	WC	FO	RT	FLOW MTH 1=GAGE 2=ELEC 3=MECH 4=WEIR/FLU 5=DOPPL	1			
R221328	15511	10/07/2004	10:00	0.3	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET	0.9			
R221328	15511	10/07/2004	10:00	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)	2			
R221328	15511	10/07/2004	10:00	0.3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	21.4			
R221328	15511	10/07/2004	10:00	0.3	0	WC	FO	RT	FLOW STREAM, INSTANTANEOUS (CUBIC FEET PER SEC)	311			
R221328	15511	10/07/2004	10:00	0.3	0	WC	FO	RT	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	118			
R221328	15511	10/07/2004	10:00	0.3	0	WC	FO	RT	PH (STANDARD UNITS)	6.7			
R221328	15511	10/07/2004	10:00	0.3	0	WC	FO	RT	FLOW:1=No Flow,2=Low,3=Normal,4=Flood,5=High,6=D	3			
R221328	15511	10/07/2004	10:00	0.3	0	WC	FO	RT	E. COLI, COLILERT, IDEXX METHOD, MPN/100ML	240			
R221328	15511	10/07/2004	10:00	0.3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	6.9			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	CARBON, TOTAL ORGANIC (MG/L AS C)	5			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	ALKALINITY, TOTAL (MG/L AS CaCO3)	16			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	< 0.05			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	NITRITE NITROGEN, TOTAL (MG/L AS N)	< 0.05			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	SULFATE (MG/L AS SO4)	15			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	NITRATE NITROGEN, TOTAL (MG/L AS N)	0.13			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	CHLORIDE (MG/L AS CL)	14			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	2			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	PHOSPHORUS, TOTAL, WET METHOD (MG/L AS P)	< 0.05			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	0.38			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH	4.03			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	RESIDUE, TOTAL NONFILTRABLE (MG/L)	7			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	< 1			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C) (MG/L)	87			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	0.09			
0048323	15511	10/07/2004	10:10	0.3	0	WC	FO	RT	FLUORIDE, TOTAL (MG/L AS F)	0.11			
R222010	16156	11/16/2004	10:00	0.3	0	WC	FO	RT	E. COLI, COLILERT, IDEXX METHOD, MPN/100ML	1			
R222010	16156	11/16/2004	10:00	0.3	0	WC	FO	RT	PH (STANDARD UNITS)	7			
R222010	16156	11/16/2004	10:00	0.3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	9.1			
R222010	16156	11/16/2004	10:00	0.3	0	WC	FO	RT	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	113			
R222010	16156	11/16/2004	10:00	0.3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	17.3			

R222010	16156	11/16/2004	10:00	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)	>	10
R222010	16156	11/16/2004	10:00	0.3	0	WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)		1.2
R222010	16156	11/16/2004	10:00	0.3	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET		5.3
PR62011	16156	11/16/2004	10:00	1	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		17.3
PR62011	16156	11/16/2004	10:00	1	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		9
PR62011	16156	11/16/2004	10:00	1	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		113
PR62011	16156	11/16/2004	10:00	1	0	WC	FO	RT	PH (STANDARD UNITS)		7
PR62012	16156	11/16/2004	10:00	2	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		113
PR62012	16156	11/16/2004	10:00	2	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		8.8
PR62012	16156	11/16/2004	10:00	2	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		17.2
PR62012	16156	11/16/2004	10:00	2	0	WC	FO	RT	PH (STANDARD UNITS)		7
PR62013	16156	11/16/2004	10:00	3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		17.1
PR62013	16156	11/16/2004	10:00	3	0	WC	FO	RT	PH (STANDARD UNITS)		6.9
PR62013	16156	11/16/2004	10:00	3	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		113
PR62013	16156	11/16/2004	10:00	3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		8.7
PR62014	16156	11/16/2004	10:00	4	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		8.6
PR62014	16156	11/16/2004	10:00	4	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		113
PR62014	16156	11/16/2004	10:00	4	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		17.1
PR62014	16156	11/16/2004	10:00	4	0	WC	FO	RT	PH (STANDARD UNITS)		6.9
PR62015	16156	11/16/2004	10:00	5	0	WC	FO	RT	PH (STANDARD UNITS)		6.9
PR62015	16156	11/16/2004	10:00	5	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		17.1
PR62015	16156	11/16/2004	10:00	5	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		8.5
PR62015	16156	11/16/2004	10:00	5	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		113
R221164	16157	09/13/2004	11:40	0.2	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		84
R221164	16157	09/13/2004	11:40	0.2	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET		0.3
R221164	16157	09/13/2004	11:40	0.2	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)	>	20
R221164	16157	09/13/2004	11:40	0.2	0	WC	FO	RT	FLOW: 1=No Flow, 2=Low, 3=Normal, 4=Flood, 5=High, 6=D		1
R221164	16157	09/13/2004	11:40	0.2	0	WC	FO	RT	FLOW STREAM, INSTANTANEOUS (CUBIC FEET PER SEC)		0
R221164	16157	09/13/2004	11:40	0.2	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		21.9
R221164	16157	09/13/2004	11:40	0.2	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		2.5
R221164	16157	09/13/2004	11:40	0.2	0	WC	FO	RT	PH (STANDARD UNITS)		6.7
0048305	16157	09/13/2004	11:45	0.3	0	WC	FO	RT	CHLORIDE (MG/L AS CL)		7
0048305	16157	09/13/2004	11:45	0.3	0	WC	FO	RT	RESIDUE, TOTAL NONFILTRABLE (MG/L)		222
0048305	16157	09/13/2004	11:45	0.3	0	WC	FO	RT	RESIDUE, VOLATILE NONFILTRABLE (MG/L)		26
0048305	16157	09/13/2004	11:45	0.3	0	WC	FO	RT	NITROGEN, AMMONIA, TOTAL (MG/L AS N)		0.07
0048305	16157	09/13/2004	11:45	0.3	0	WC	FO	RT	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.05
0048305	16157	09/13/2004	11:45	0.3	0	WC	FO	RT	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.05
0048305	16157	09/13/2004	11:45	0.3	0	WC	FO	RT	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)		1.28
0048305	16157	09/13/2004	11:45	0.3	0	WC	FO	RT	CARBON, TOTAL ORGANIC (MG/L AS C)		18
0048305	16157	09/13/2004	11:45	0.3	0	WC	FO	RT	ALKALINITY, TOTAL (MG/L AS CaCO3)		28
0048305	16157	09/13/2004	11:45	0.3	0	WC	FO	RT	SULFATE (MG/L AS SO4)	<	1
0048305	16157	09/13/2004	11:45	0.3	0	WC	FO	RT	FLUORIDE, TOTAL (MG/L AS F)		0.11
0048305	16157	09/13/2004	11:45	0.3	0	WC	FO	RT	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID, METH.		33
0048305	16157	09/13/2004	11:45	0.3	0	WC	FO	RT	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C) (MG/L)		100
0048305	16157	09/13/2004	11:45	0.3	0	WC	FO	RT	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	<	0.06
0048305	16157	09/13/2004	11:45	0.3	0	WC	FO	RT	PHOSPHORUS, TOTAL, WET METHOD (MG/L AS P)		0.16
R221222	16158	10/06/2004	11:05	0.3	0	WC	FO	RT	PH (STANDARD UNITS)		7.4
R221222	16158	10/06/2004	11:05	0.3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.5
R221222	16158	10/06/2004	11:05	0.3	0	WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)		0.9
R221222	16158	10/06/2004	11:05	0.3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		6.6
R221222	16158	10/06/2004	11:05	0.3	0	WC	FO	RT	E. COLI, COLILERT, IDEXX METHOD, MPN/100ML		1
R221222	16158	10/06/2004	11:05	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)		2
R221222	16158	10/06/2004	11:05	0.3	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET		7.2
R221222	16158	10/06/2004	11:05	0.3	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		153
PR61223	16158	10/06/2004	11:05	1	0	WC	FO	RT	PH (STANDARD UNITS)		7.3
PR61223	16158	10/06/2004	11:05	1	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		6.5
PR61223	16158	10/06/2004	11:05	1	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		153
PR61223	16158	10/06/2004	11:05	1	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.5
PR61224	16158	10/06/2004	11:05	2	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		6.4
PR61224	16158	10/06/2004	11:05	2	0	WC	FO	RT	PH (STANDARD UNITS)		7.3
PR61224	16158	10/06/2004	11:05	2	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.5
PR61224	16158	10/06/2004	11:05	2	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		153
PR61225	16158	10/06/2004	11:05	3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.5
PR61225	16158	10/06/2004	11:05	3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		6.4
PR61225	16158	10/06/2004	11:05	3	0	WC	FO	RT	PH (STANDARD UNITS)		7.3
PR61225	16158	10/06/2004	11:05	3	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		153
PR61226	16158	10/06/2004	11:05	4	0	WC	FO	RT	PH (STANDARD UNITS)		7.3
PR61226	16158	10/06/2004	11:05	4	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		6.3
PR61226	16158	10/06/2004	11:05	4	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		153
PR61226	16158	10/06/2004	11:05	4	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.5
PR61227	16158	10/06/2004	11:05	5	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		153
PR61227	16158	10/06/2004	11:05	5	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		6.4
PR61227	16158	10/06/2004	11:05	5	0	WC	FO	RT	PH (STANDARD UNITS)		7.2
PR61227	16158	10/06/2004	11:05	5	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.5
PR61228	16158	10/06/2004	11:05	6	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		153
PR61228	16158	10/06/2004	11:05	6	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.5
PR61228	16158	10/06/2004	11:05	6	0	WC	FO	RT	PH (STANDARD UNITS)		7.2
PR61228	16158	10/06/2004	11:05	6	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		6.3

PR61229	16158	10/06/2004	11:05	7	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	6			
PR61229	16158	10/06/2004	11:05	7	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	24.5			
PR61229	16158	10/06/2004	11:05	7	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	153			
PR61229	16158	10/06/2004	11:05	7	0	WC	FO	RT	PH (STANDARD UNITS)	7.2			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	< 0.06			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	ALKALINITY, TOTAL (MG/L AS CaCO3)	26			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	RESIDUE, TOTAL NONFILTRABLE (MG/L)	5			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	< 0.05			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	NITRATE NITROGEN, TOTAL (MG/L AS N)	< 0.05			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	0.55			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	PHOSPHORUS, TOTAL, WET METHOD (MG/L AS P)	< 0.05			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	CARBON, TOTAL ORGANIC (MG/L AS C)	5			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	CHLORIDE (MG/L AS CL)	16			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	FLUORIDE, TOTAL (MG/L AS F)	0.16			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C) (MG/L)	97			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH	21.4			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	12.7			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	3			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	SULFATE (MG/L AS SO4)	20			
0048319	16158	10/06/2004	11:15	0.3	0	WC	FO	RT	NITRITE NITROGEN, TOTAL (MG/L AS N)	< 0.05			
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	pH, # OF MEASUREMENTS IN 24-HRS	48
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	FLOW STREAM, INSTANTANEOUS (CUBIC FEET PER SEC)	1.5
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	FLOW MTH 1=GAGE 2=ELEC 3=MECH 4=WEIR/FLU 5=DOPPL	2
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	WATER TEMPERATURE, # OF MEASUREMENTS IN 24-HRS	48
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	PH, S.U., 24HR, MINIMUM VALUE	6.4
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	PH, S.U., 24HR MAXIMUM VALUE	6.5
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	SPECIFIC CONDUCTANCE, UMHOS/CM, FIELD, 24HR MIN	92
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	SPECIFIC CONDUCTANCE, # OF MEASUREMENTS IN 24-HR	48
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	DAYS SINCE PRECIPITATION EVENT (DAYS)	> 5
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET	0.8
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	DISSOLVED OXYGEN, 24-HOUR MIN. (MG/L) MIN. 4 MEA	3.4
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	DISSOLVED OXYGEN, 24-HOUR MAX. (MG/L) MIN. 4 MEA	4.2
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	DISSOLVED OXYGEN, 24-HOUR AVG. (MG/L) MIN. 4 MEA	3.8
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	SPECIFIC CONDUCTANCE, UMHOS/CM, FIELD, 24HR MAX	93
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	SPECIFIC CONDUCTANCE, UMHOS/CM, FIELD, 24HR AVG	92
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	TEMPERATURE, WATER (DEGREES CENTIGRADE) 24HR MIN	22.7
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	WATER TEMPERATURE, DEGREES CENTIGRADE, 24HR MAX	24.8
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	DISSOLVED OXYGEN, # OF MEASUREMENTS IN 24-HRS	48
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	TEMPERATURE, WATER (DEGREES CENTIGRADE, 24HR AVG	23.7
R221161	16705	09/02/2004	11:30	0.3	09-01-2004 12:00	0.3	T	48	WC	FO	DI	FLOW:1=No Flow,2=Low,3=Normal,4=Flood,5=High,6=D	2
R221334	16705	10/12/2004	10:25	0.3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	20			
R221334	16705	10/12/2004	10:25	0.3	0	WC	FO	RT	FLOW MTH 1=GAGE 2=ELEC 3=MECH 4=WEIR/FLU 5=DOPPL	2			
R221334	16705	10/12/2004	10:25	0.3	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET	0.9			
R221334	16705	10/12/2004	10:25	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)	2			
R221334	16705	10/12/2004	10:25	0.3	0	WC	FO	RT	E. COLI, COLILERT, IDEXX METHOD, MPN/100ML	330			
R221334	16705	10/12/2004	10:25	0.3	0	WC	FO	RT	FLOW:1=No Flow,2=Low,3=Normal,4=Flood,5=High,6=D	3			
R221334	16705	10/12/2004	10:25	0.3	0	WC	FO	RT	FLOW STREAM, INSTANTANEOUS (CUBIC FEET PER SEC)	22			
R221334	16705	10/12/2004	10:25	0.3	0	WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)	> 0.9			
R221334	16705	10/12/2004	10:25	0.3	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	73			
R221334	16705	10/12/2004	10:25	0.3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	5.7			
R221334	16705	10/12/2004	10:25	0.3	0	WC	FO	RT	PH (STANDARD UNITS)	6.3			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	< 0.05			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH	3.2			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C) (MG/L)	78			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	< 0.06			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	FLUORIDE, TOTAL (MG/L AS F)	< 0.05			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	ALKALINITY, TOTAL (MG/L AS CaCO3)	8			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	< 1			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	2.78			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	NITRITE NITROGEN, TOTAL (MG/L AS N)	< 0.05			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	NITRATE NITROGEN, TOTAL (MG/L AS N)	< 0.05			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	0.45			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	PHOSPHORUS, TOTAL, WET METHOD (MG/L AS P)	0.05			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	CARBON, TOTAL ORGANIC (MG/L AS C)	8			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	CHLORIDE (MG/L AS CL)	5			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	SULFATE (MG/L AS SO4)	13			
0048333	16705	10/12/2004	10:40	0.3	0	WC	FO	RT	RESIDUE, TOTAL NONFILTRABLE (MG/L)	4			
R221332	16861	10/11/2004	11:45	0.3	0	WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)	0.5			
R221332	16861	10/11/2004	11:45	0.3	0	WC	FO	RT	FLOW STREAM, INSTANTANEOUS (CUBIC FEET PER SEC)	1.1			
R221332	16861	10/11/2004	11:45	0.3	0	WC	FO	RT	FLOW MTH 1=GAGE 2=ELEC 3=MECH 4=WEIR/FLU 5=DOPPL	1			
R221332	16861	10/11/2004	11:45	0.3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	20.5			
R221332	16861	10/11/2004	11:45	0.3	0	WC	FO	RT	PH (STANDARD UNITS)	6.8			
R221332	16861	10/11/2004	11:45	0.3	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	192			
R221332	16861	10/11/2004	11:45	0.3	0	WC	FO	RT	FLOW:1=No Flow,2=Low,3=Normal,4=Flood,5=High,6=D	3			
R221332	16861	10/11/2004	11:45	0.3	0	WC	FO	RT	E. COLI, COLILERT, IDEXX METHOD, MPN/100ML	200			
R221332	16861	10/11/2004	11:45	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)	1			
R221332	16861	10/11/2004	11:45	0.3	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET	0.5			
R221332	16861	10/11/2004	11:45	0.3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	4.4			

0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	ALKALINITY, TOTAL (MG/L AS CaCO3)	44
0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	0.06
0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	PHOSPHORUS, TOTAL, WET METHOD (MG/L AS P)	0.13
0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C) (MG/L)	134
0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	1.6
0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH	4
0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	FLUORIDE, TOTAL (MG/L AS F)	0.1
0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	SULFATE (MG/L AS SO4)	8
0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	RESIDUE, TOTAL NONFILTRABLE (MG/L)	5
0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	CARBON, TOTAL ORGANIC (MG/L AS C)	8
0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	<
0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	0.54
0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	NITRATE NITROGEN, TOTAL (MG/L AS N)	0.08
0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	NITRITE NITROGEN, TOTAL (MG/L AS N)	<
0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	1
0048330	16861	10/11/2004	11:50	0.3	0	WC	FO	RT	CHLORIDE (MG/L AS CL)	25
R221201	17059	10/06/2004	09:30	0.3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	6.5
R221201	17059	10/06/2004	09:30	0.3	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET	11.6
R221201	17059	10/06/2004	09:30	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)	2
R221201	17059	10/06/2004	09:30	0.3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	24.4
R221201	17059	10/06/2004	09:30	0.3	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	151
R221201	17059	10/06/2004	09:30	0.3	0	WC	FO	RT	PH (STANDARD UNITS)	7.2
R221201	17059	10/06/2004	09:30	0.3	0	WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)	1.3
R221201	17059	10/06/2004	09:30	0.3	0	WC	FO	RT	E. COLI, COLILERT, IDEXX METHOD, MPN/100ML	1
PR61202	17059	10/06/2004	09:30	1	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	24.5
PR61202	17059	10/06/2004	09:30	1	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	6.4
PR61202	17059	10/06/2004	09:30	1	0	WC	FO	RT	PH (STANDARD UNITS)	7.1
PR61202	17059	10/06/2004	09:30	1	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	151
PR61203	17059	10/06/2004	09:30	2	0	WC	FO	RT	PH (STANDARD UNITS)	7.2
PR61203	17059	10/06/2004	09:30	2	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	24.5
PR61203	17059	10/06/2004	09:30	2	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	6.3
PR61203	17059	10/06/2004	09:30	2	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	151
PR61204	17059	10/06/2004	09:30	3	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	152
PR61204	17059	10/06/2004	09:30	3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	24.5
PR61204	17059	10/06/2004	09:30	3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	6.2
PR61204	17059	10/06/2004	09:30	3	0	WC	FO	RT	PH (STANDARD UNITS)	7.2
PR61205	17059	10/06/2004	09:30	4	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	6.2
PR61205	17059	10/06/2004	09:30	4	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	24.5
PR61205	17059	10/06/2004	09:30	4	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	151
PR61205	17059	10/06/2004	09:30	4	0	WC	FO	RT	PH (STANDARD UNITS)	7.2
PR61206	17059	10/06/2004	09:30	5	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	152
PR61206	17059	10/06/2004	09:30	5	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	24.5
PR61206	17059	10/06/2004	09:30	5	0	WC	FO	RT	PH (STANDARD UNITS)	7.2
PR61206	17059	10/06/2004	09:30	5	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	6.2
PR61207	17059	10/06/2004	09:30	6	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	152
PR61207	17059	10/06/2004	09:30	6	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	24.4
PR61207	17059	10/06/2004	09:30	6	0	WC	FO	RT	PH (STANDARD UNITS)	7.2
PR61207	17059	10/06/2004	09:30	6	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	6.1
PR61208	17059	10/06/2004	09:30	7	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	24.4
PR61208	17059	10/06/2004	09:30	7	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	152
PR61208	17059	10/06/2004	09:30	7	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	5.9
PR61208	17059	10/06/2004	09:30	7	0	WC	FO	RT	PH (STANDARD UNITS)	7.1
PR61209	17059	10/06/2004	09:30	8	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	5.3
PR61209	17059	10/06/2004	09:30	8	0	WC	FO	RT	PH (STANDARD UNITS)	7
PR61209	17059	10/06/2004	09:30	8	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	24.3
PR61209	17059	10/06/2004	09:30	8	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	153
PR61210	17059	10/06/2004	09:30	9	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	153
PR61210	17059	10/06/2004	09:30	9	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	4.9
PR61210	17059	10/06/2004	09:30	9	0	WC	FO	RT	PH (STANDARD UNITS)	7
PR61210	17059	10/06/2004	09:30	9	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	24.2
PR61211	17059	10/06/2004	09:30	10	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	22.6
PR61211	17059	10/06/2004	09:30	10	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	182
PR61211	17059	10/06/2004	09:30	10	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	0.2
PR61211	17059	10/06/2004	09:30	10	0	WC	FO	RT	PH (STANDARD UNITS)	7
PR61212	17059	10/06/2004	09:30	11	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	18.7
PR61212	17059	10/06/2004	09:30	11	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	0.1
PR61212	17059	10/06/2004	09:30	11	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	204
PR61212	17059	10/06/2004	09:30	11	0	WC	FO	RT	PH (STANDARD UNITS)	7
0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	FLUORIDE, TOTAL (MG/L AS F)	0.16
0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	<
0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C) (MG/L)	94
0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	ALKALINITY, TOTAL (MG/L AS CaCO3)	26
0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH	12.8
0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	SULFATE (MG/L AS SO4)	19
0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	CHLORIDE (MG/L AS CL)	15
0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	CARBON, TOTAL ORGANIC (MG/L AS C)	5
0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	RESIDUE, TOTAL NONFILTRABLE (MG/L)	3
0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	0.49

0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.05
0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.05
0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	<	0.05
0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	RESIDUE, VOLATILE NONFILTRABLE (MG/L)		2
0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	PHOSPHORUS, TOTAL, WET METHOD (MG/L AS P)	<	0.05
0048317	17059	10/06/2004	09:40	0.3	0	WC	FO	RT	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.		6.25
R221213	17060	10/06/2004	10:20	0.3	0	WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)		1.3
R221213	17060	10/06/2004	10:20	0.3	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		151
R221213	17060	10/06/2004	10:20	0.3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		5.9
R221213	17060	10/06/2004	10:20	0.3	0	WC	FO	RT	PH (STANDARD UNITS)		7.2
R221213	17060	10/06/2004	10:20	0.3	0	WC	FO	RT	E. COLI, COLILERT, IDEXX METHOD, MPN/100ML		4
R221213	17060	10/06/2004	10:20	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)		2
R221213	17060	10/06/2004	10:20	0.3	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET		9
R221213	17060	10/06/2004	10:20	0.3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.6
PR61214	17060	10/06/2004	10:20	1	0	WC	FO	RT	PH (STANDARD UNITS)		7.1
PR61214	17060	10/06/2004	10:20	1	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		5.8
PR61214	17060	10/06/2004	10:20	1	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		151
PR61214	17060	10/06/2004	10:20	1	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.6
PR61215	17060	10/06/2004	10:20	2	0	WC	FO	RT	PH (STANDARD UNITS)		7.2
PR61215	17060	10/06/2004	10:20	2	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		5.8
PR61215	17060	10/06/2004	10:20	2	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		151
PR61215	17060	10/06/2004	10:20	2	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.6
PR61216	17060	10/06/2004	10:20	3	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		151
PR61216	17060	10/06/2004	10:20	3	0	WC	FO	RT	PH (STANDARD UNITS)		7.1
PR61216	17060	10/06/2004	10:20	3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		5.7
PR61216	17060	10/06/2004	10:20	3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.6
PR61217	17060	10/06/2004	10:20	4	0	WC	FO	RT	PH (STANDARD UNITS)		7.1
PR61217	17060	10/06/2004	10:20	4	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		5.7
PR61217	17060	10/06/2004	10:20	4	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		151
PR61217	17060	10/06/2004	10:20	4	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.6
PR61218	17060	10/06/2004	10:20	5	0	WC	FO	RT	PH (STANDARD UNITS)		7.1
PR61218	17060	10/06/2004	10:20	5	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.6
PR61218	17060	10/06/2004	10:20	5	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		5.6
PR61218	17060	10/06/2004	10:20	5	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		151
PR61219	17060	10/06/2004	10:20	6	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.6
PR61219	17060	10/06/2004	10:20	6	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		151
PR61219	17060	10/06/2004	10:20	6	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		5.6
PR61219	17060	10/06/2004	10:20	6	0	WC	FO	RT	PH (STANDARD UNITS)		7.1
PR61220	17060	10/06/2004	10:20	7	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.5
PR61220	17060	10/06/2004	10:20	7	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		152
PR61220	17060	10/06/2004	10:20	7	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		4.7
PR61220	17060	10/06/2004	10:20	7	0	WC	FO	RT	PH (STANDARD UNITS)		7
PR61221	17060	10/06/2004	10:20	8	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)		3.3
PR61221	17060	10/06/2004	10:20	8	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)		153
PR61221	17060	10/06/2004	10:20	8	0	WC	FO	RT	PH (STANDARD UNITS)		6.8
PR61221	17060	10/06/2004	10:20	8	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)		24.4
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	PHOSPHORUS, TOTAL, WET METHOD (MG/L AS P)	<	0.05
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	<	0.5
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.05
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.05
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	<	0.05
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	RESIDUE, VOLATILE NONFILTRABLE (MG/L)		2
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	ALKALINITY, TOTAL (MG/L AS CaCO3)		26
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	FLUORIDE, TOTAL (MG/L AS F)		0.15
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	RESIDUE, TOTAL NONFILTRABLE (MG/L)		4
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	SULFATE (MG/L AS SO4)		19
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH		15
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.		4.86
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C) (MG/L)		87
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	<	0.06
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	CARBON, TOTAL ORGANIC (MG/L AS C)		5
0048318	17060	10/06/2004	10:25	0.3	0	WC	FO	RT	CHLORIDE (MG/L AS CL)		15
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	RESIDUE, VOLATILE NONFILTRABLE (MG/L)		2
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	<	0.06
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C) (MG/L)		88
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.		6.09
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH		20.8
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	FLUORIDE, TOTAL (MG/L AS F)		0.12
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	SULFATE (MG/L AS SO4)		13
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	CHLORIDE (MG/L AS CL)		14
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	CARBON, TOTAL ORGANIC (MG/L AS C)		5
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	PHOSPHORUS, TOTAL, WET METHOD (MG/L AS P)	<	0.05
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	<	0.52
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	NITRATE NITROGEN, TOTAL (MG/L AS N)	<	0.05
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	<	0.05
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	RESIDUE, TOTAL NONFILTRABLE (MG/L)		3
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	ALKALINITY, TOTAL (MG/L AS CaCO3)		29
0049180	17548	10/26/2004	11:00	0.3	0	WC	FO	RT	NITRITE NITROGEN, TOTAL (MG/L AS N)	<	0.05

R221353	17548	10/26/2004	11:55	0.3	0	WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)	1.1
R221353	17548	10/26/2004	11:55	0.3	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	136
R221353	17548	10/26/2004	11:55	0.3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	23.6
R221353	17548	10/26/2004	1/0/00	0.3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	8.4
R221353	17548	10/26/2004	1/0/00	0.3	0	WC	FO	RT	PH (STANDARD UNITS)	8.1
R221353	17548	10/26/2004	1/0/00	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)	2
R221353	17548	10/26/2004	1/0/00	0.3	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET	5.6
PR61354	17548	10/26/2004	1/0/00	1	0	WC	FO	RT	PH (STANDARD UNITS)	8
PR61354	17548	10/26/2004	1/0/00	1	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	23.5
PR61354	17548	10/26/2004	1/0/00	1	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	137
PR61354	17548	10/26/2004	1/0/00	1	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	8.3
PR61355	17548	10/26/2004	1/0/00	2	0	WC	FO	RT	PH (STANDARD UNITS)	8
PR61355	17548	10/26/2004	1/0/00	2	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	8.3
PR61355	17548	10/26/2004	1/0/00	2	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	23.5
PR61355	17548	10/26/2004	1/0/00	2	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	137
PR61356	17548	10/26/2004	1/0/00	3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	23.4
PR61356	17548	10/26/2004	1/0/00	3	0	WC	FO	RT	PH (STANDARD UNITS)	7.8
PR61356	17548	10/26/2004	1/0/00	3	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	137
PR61356	17548	10/26/2004	1/0/00	3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	8
PR61357	17548	10/26/2004	1/0/00	4	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	137
PR61357	17548	10/26/2004	1/0/00	4	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	7.8
PR61357	17548	10/26/2004	1/0/00	4	0	WC	FO	RT	PH (STANDARD UNITS)	7.6
PR61357	17548	10/26/2004	1/0/00	4	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	23.4
PR61358	17548	10/26/2004	1/0/00	5	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	22.4
PR61358	17548	10/26/2004	1/0/00	5	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	139
PR61358	17548	10/26/2004	1/0/00	5	0	WC	FO	RT	PH (STANDARD UNITS)	6.9
PR61358	17548	10/26/2004	1/0/00	5	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	3.9
R221107	17867	09/23/2004	1/0/00	0.3	0	WC	FO	RT	PH (STANDARD UNITS)	6.4
R221107	17867	09/23/2004	1/0/00	0.3	0	WC	FO	RT	DEPTH OF BOTTOM OF WATER BODY AT SAMPLE SITE MET	0.83
R221107	17867	09/23/2004	1/0/00	0.3	0	WC	FO	RT	E. COLI, COLILERT, IDEXX METHOD, MPN/100ML	< 1
R221107	17867	09/23/2004	1/0/00	0.3	0	WC	FO	RT	OXYGEN, DISSOLVED (MG/L)	0.7
R221107	17867	09/23/2004	1/0/00	0.3	0	WC	FO	RT	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	116
R221107	17867	09/23/2004	1/0/00	0.3	0	WC	FO	RT	TRANSPARENCY, SECCHI DISC (METERS)	> 0.83
R221107	17867	09/23/2004	1/0/00	0.3	0	WC	FO	RT	TEMPERATURE, WATER (DEGREES CENTIGRADE)	24.5
R221107	17867	09/23/2004	1/0/00	0.3	0	WC	FO	RT	DAYS SINCE PRECIPITATION EVENT (DAYS)	> 7
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	ALKALINITY, TOTAL (MG/L AS CaCO3)	20
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	CHLORIDE (MG/L AS CL)	10
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	SULFATE (MG/L AS SO4)	11
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	FLUORIDE, TOTAL (MG/L AS F)	0.08
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH	11.2
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	2.99
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	< 0.06
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	CARBON, TOTAL ORGANIC (MG/L AS C)	7
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	2
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C) (MG/L)	85
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	< 0.05
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	NITRITE NITROGEN, TOTAL (MG/L AS N)	< 0.05
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	NITRATE NITROGEN, TOTAL (MG/L AS N)	< 0.05
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	0.39
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	PHOSPHORUS, TOTAL, WET METHOD (MG/L AS P)	< 0.05
0049196	17867	11/03/2004	1/0/00	0.3	0	WC	FO	SS	RESIDUE, TOTAL NONFILTRABLE (MG/L)	3